

## FACT SHEET

# ICT-TC-GFSP-SF-HP-5032



Silicone-free, high-performance gap filler pad delivering 11.0 W/m-K thermal conductivity with excellent insulation, heat resistance, and low outgassing.



5 GAP FILLERS, PADS, SPACERS, SOFT-ULTRA-SOFT GEL SILICONE-FREE

## DESCRIPTION

The **ICT-TC-GFSP-SF-HP-5032 Series** is the latest product generation of silicone-free, high-performance, thermally conductive gap filler pads from ICT SUEDWERK. These product series are composed of a silicone-free, resin-based thermoplastic elastomer (TPE).

The **ICT-TC-GFSP-SF-HP-5032 Series** is characterized by very high thermal conductivity of 11.00 W/m-K combined with outstanding electrical insulation properties, based on advanced composite material technologies, while also maintaining silicone's superior heat resistance. This premium product has no low-molecular siloxane volatilization whatsoever, and very low total volatile gas.

The **ICT-TC-GFSP-SF-HP-5032 Series** is soft, flexible, and exhibits good springback behavior. Its low hardness ensures excellent compressibility, while its stress relaxation properties, low specific weight, and very good price-performance ratio are what make this material stand out.

The **ICT-TC-GFSP-SF-HP-5032 Series** is available in material thicknesses ranging from 0.5 to 10.00 mm. Additional thicknesses are available upon request.

## TYPICAL PROPERTIES

<b>Color</b>	Pink
<b>Density</b>	3.3 g/cm <sup>3</sup>
<b>Thermal conductivity</b>	11 W/m*K
<b>Thermal impedance @ 20 psi</b>	≤ 0.148 C°-in <sup>2</sup> /W
<b>Volume resistivity</b>	≥ 1,00 × 10 <sup>10</sup> Ω/m
<b>Dielectric breakdown voltage</b>	8 kV/mm
<b>Hardness (Shore 00)</b>	50
<b>Compressibility @ 20psi</b>	34 %

## FEATURES

- › Made from a silicone-free, resin-based material
- › Very high thermal performance: **11.0 W/m-K thermal conductivity / Rth 0.088 °C-in<sup>2</sup>/W (@ 20 psi)**
- › Tacky surface for excellent surface wet-out
- › Soft and flexible, with very good compressibility
- › Effective performance under low contact pressure
- › Excellent electrical insulation (UL 94 V-0 certified)
- › The ICT-TC-GFSP-SF-HP-5032 Series is environmentally compliant with RoHS 2.0, halogen-free, and REACH standards

## DELIVERY FORMS / APPLICATIONS

- Applicable to optical and sensitive electronic components
- Optoelectronic industry (viscous / tacky surface)
- HDDs and Netcom products
- EV and new energy battery applications
- 5G base stations and infrastructure
- Wearable equipment and related devices

ICT4TIM Partners



ICT SUEDWERK GmbH  
INSPIRED CUSTOMIZED TIM SOLUTIONS

Bajuwarenring 12a • 82041 Oberhaching  
Tel: +49 (0)892123102-0 • Fax: +49 (0)892123102-10  
Info@ict-suedwerk.de • www.ict-suedwerk.de

